



Home & Architectural
Lighting

Your **solid-state lighting** specialist

About **LiteLD**



Highest in Quality Lighting

Committed to developing high-grade products at competitive market prices, LiteLD never compromises on the quality of its components or its designs. Our lighting products are developed to help customers achieve sleek interior and exterior designs. Our constant commitment to quality and to our customers is the driving force that allows LiteLD to thrive and grow as a LED lighting company.



Green Mission - Energy Efficient Lighting

LiteLD products are designed with the future of our planet in mind. LED product technology is the most energy efficient technology available today. Using less energy to create your desired lighting effect, our products help protect the environment. Using our advanced LED design will help you consume less energy, reducing your average consumption and saving not only on your electricity bill, but also our environment. With their extended lifetimes, our LED products also reduce product waste.



Focused Design Approach

Increasingly, LED lighting is being used by commercial and residential decorators to create special lighting effects within homes, commercial spaces, and surrounding areas. To cater to this growing market, LiteLD has specifically designed its products around this concept. Our products provide sleek and minimalist lighting solutions for all your lighting needs. LiteLD will continue to offer a growing range of products to its satisfied customer base.

LiteLD products help create the perfect mood in an environment. Sheet lighting creates a unique effect, whether along the floor, under the cabinets, along the walls, or overhead to light up every angle on the room.



Striplite products are ideal for projects that require a unique sense of light.



Your **solid-state lighting** specialist

StripLite™ Series



StripLite1 - Cool White


Unit Dimension (LxWxH):
30.6x14x10 cm / 12.0x5.5x3.9 in
Unit Weight:
70g / 2.47 oz
LED Power:
1.8W
Power requirement:
2.4W

Color Temperature:
5500 Kelvin
Intensity:
45 Lumens
Housing:
Aluminum, clear anodized finish
Beam spread:
140 Degrees

StripLite3 - Cool White

Unit Dimension (LxWxH):
91.8x14x10 cm / 36x5.5x3.9 in
Unit Weight:
210g / 7.41 oz
LED Power:
5.4W
Power requirement:
7.2W

Operating Temperature:
-20° – 55° Celsius
Fixture Input voltage:
24 Vdc
Power Range:
30W, 60W, 100W



StripLite1 – Warm White

Unit Dimension (LxWxH):
30.6x14x10 cm / 12.0x5.5x3.9 in
Unit Weight:
70g / 2.47 oz
LED Power:
4.5W
Power requirement:
5.2W

Color Temperature:
3200 Kelvin
Intensity:
170 Lumens
Housing:
Aluminum, clear anodized finish
Beam spread:
140 Degrees

StripLite3 – Warm White

Unit Dimension (LxWxH):
91.8x14x10 cm / 36x5.5x3.9 in
Unit Weight:
210g / 7.41 oz
LED Power:
13.5W
Power requirement:
15.6W

Operating Temperature:
-20° – 55° Celsius
Fixture Input voltage:
24 Vdc
Power Range:
30W, 60W, 100W

Number of Linkable StripLite by Type of Power Supply

	PowerLite-30	PowerLite-60	PowerLite-100
StripLite1-Cool (2.4W)	12	24	32
StripLite3-Cool (7.2W)	4	8	13

Number of Linkable StripLite by Type of Power Supply

	PowerLite-30	PowerLite-60	PowerLite-100
StripLite1-Warm (5.2W)	5	11	19
StripLite3-Warm (15.6W)	1	3	6

Product Series Advantages:

- Sleek Design
- Energy Efficient Product
- Easy to Install
- Interconnectable
- Lightweight
- Low Power Consumption
- Smallest Product Footprint per Output Performance
- Life expectancy: 75,000+ hours





Your **solid-state lighting** specialist

General Applications

- Cove lighting
- Under Cabinet lighting
- Recessed down-lights
- In-cabinet lighting
- Ceiling lights
- Hanging lights

Commercial Applications

- Architectural Design lighting
- Rail lighting
- Retail displays
- Refrigerated cases
- Outdoor areas
- Elevators

Home Applications

- Accent Ceiling lighting
- Adjustable task lighting
- Art displays
- Behind mirrors
- Along paths
- Steps
- Outdoor Areas



LiteLD Canada Inc.

1200 McGill College Ave.

Suite 1100, Montreal,

Quebec, Canada

H3B 4G7

Tel: 1-888-917-1115 (toll-free)

Fax: 1-888-914-0220 (toll-free)

Email: sales@LiteLD.com

Website: www.LiteLD.com